

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY Air Quality Division

NOTIFICATION of COMPLIANCE STATUS FORM

<u>Applicable Rule</u>: 40 CFR Part 63, Subpart XXXXXX - National Emission Standards for Hazardous Air Pollutants (NESHAP) for Nine Metal Fabrication and Finishing Source Categories at Area Sources - Promulgated 7/23/08.

Who is subject to this Rule?

You are subject to this rule if you meet **both** of the following conditions:

- 1. You own or operate an area source of hazardous air pollutants (HAPs) that is primarily engaged* in one of the nine source categories listed below:
 - (1) Electrical and electronic equipment finishing operations;
 - (2) Fabricated metal products manufacturing;
 - (3) Fabricated plate work (boiler shops) manufacturing;
 - (4) Fabricated structural metal manufacturing;
 - (5) Heating equipment manufacturing, except electric;
 - (6) Industrial machinery and equipment finishing operations;
 - (7) Iron and steel forging;
 - (8) Primary metal products manufacturing; and
 - (9) Valves and pipe fittings manufacturing.

A facility is an area source of HAPs if it emits or has the potential to emit less than 10 tons/year of any single HAP or less than 25 tons/year of combined HAPs.

*Primary engaged means that the manufacture, fabrication, or forging of one or more products listed in one of the nine source categories comprises at least 50% of the production at a facility. Production quantities are established by the volume, linear foot, square foot, or other value suited to the specific industry. The period used to determine production should be the previous continuous 12 months of operation.

- 2. You have at least one source that uses materials that contain or have the potential to emit metal fabrication or finishing metal HAP (MFHAP).
 - MFHAP is defined as compounds of cadmium, chromium, lead, manganese, and nickel, or any of these metals in their elemental form except for lead.
 - Materials containing MFHAP are defined to be materials that contain ≥ 0.1% by weight of cadmium, chromium, lead or nickel, and materials that contain ≥ 1.0% by weight of manganese.

If you determine your facility is not "primarily engaged" in any of the affected operations, you must document and retain your rationale for this determination pursuant to 63 Code of Federal Register 63.10(b)(3).

More information and guidance for this rule is available on the NDEQ Air Toxics Notebook at www.deq.state.ne.us/AirToxic.nsf/pages/XXXXXX. You may also contact NDEQ's Air Toxics Coordinator at (402) 471-3139 or NDEQ.AirQuality@nebraska.gov.

If you are subject to this rule fill out the information below.

Print or type the following information for each facility for which you are making Notification of Compliance Status:

Facility Name:	Facility ID# (if a	pplicable):
Facility Address:		
City:	State:	Zip:
Responsible Official's Name/Title:		
Responsible Official's Phone Number:		
Responsible Official's Email Address:		
Responsible Official's Address if different than facility a	address):	
City:	State:	Zip:

This form must be completed, signed and submitted to the following agencies.

Existing sources must submit this form by Nov 22, 2011.

New Sources must submit by Nov 20, 2008 or within 120 days of startup, whichever is later.

NDEQ Air Quality Division 1200 'N' St. Atrium, Suite 400 Lincoln, NE 68509-8922

<u>and</u> 901 No

Region VII EPA 901 North 5th Street Kansas City, KS 66101-2907

If your facility is located in Omaha or in Lancaster County, you must submit a notification to the appropriate local air pollution control agency and Region VII EPA.

Compliance Dates

- New sources (i.e., commenced construction or reconstruction on or after April 3, 2008) must comply upon startup or July 23, 2008, whichever is later.
- Existing sources (i.e., commenced construction or reconstruction before April 3, 2008) must comply by July 25, 2011.

Identification of Affected Operations

(1) The following are the operations at this facility subject^b to subpart XXXXXX (check all that apply):

Dry A	Abrasive Blasting	
	(1) Totally enclosed and unvented blast chambers	
	(2) Vented enclosures with a filtration control device	
	(3) Objects over 8 feet in any dimension without a filtration control	
Dry I	Machining	
Dry (Grinding or Dry Polishing with Stationary Machines	
Spra	y Painting	
	(1) In a spray booth	
	(2) Without a spray booth (for Fabricated Structural Metal facilities	
Welding		
	(1) Use less than 2,000 pounds of MFHAP-containing ^b welding rod	
	(2) Use 2,000 pounds or more of MFHAP-containing ^b welding rod or	

Important Note: These operations are affected sources under subpart XXXXXX only if/when they use materials that contain or have the potential to emit metal fabrication or finishing metal HAP (MFHAP). MFHAP containing/potential is defined to be when the compounds of cadmium, chromium, lead, manganese, and nickel, or any of these metals in the elemental form with the exception of lead, are used or have the potential to be emitted in quantities of 0.1 percent or more, or 1.0 percent or more for elemental of compounds of manganese.

(2) The following table lists each dry abrasive blasting operation at this facility subject to subpart XXXXXX, noted previously in item (1):

Abrasive Blasting Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Method (Check all that apply)
		Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		☐ Management practices
		☐ Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		☐ Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		☐ Management practices

08-021

Abrasive Blasting Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Method (Check all that apply)
		 ☐ Totally enclosed, unvented ☐ Vented, with control device; describe ☐ Objects over 8 ft (with no control) ☐ Management practices ☐ Totally enclosed, unvented ☐ Vented, with control device; describe
		Objects over 8 ft (with no control) Management practices Totally enclosed, unvented Vented, with control device; describe Objects over 8 ft (with no control)
(3) The following table lists each dry machining, dry grinding, or dry polishing operation subject to subpart XXXXXX, noted previously in item (1):		
Dry Machining, Dry Grinding, or Dry Polishing Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Method (Check all that apply) Control device;

Dry Machining, Dry Grinding, or Dry Polishing Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Method (Check all that apply)
		☐ Control device;
		describe
		☐ Control device;
		describe
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe

(4) The following table lists each spray painting operation subject to subpart XXXXXX, noted previously in item (1):

Spray Painting Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Methods Employed (Check all that apply)
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Management practicesSpray booth, PM filter, HVLP spray
		guns
		
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Management practicesSpray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Management practicesSpray booth, PM filter, HVLP spray guns
		HVLP spray guns, only
		Management practicesSpray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Management practicesSpray booth, PM filter, HVLP spray guns
		HVLP spray guns, only
		Management practicesSpray booth, PM filter, HVLP spray guns
		HVLP spray guns, only
		Management practicesSpray booth, PM filter, HVLP spray guns
		HVLP spray guns, only
		Management practices

Spray Painting Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Methods Employed (Check all that apply)
	(-5, -1, -2,,)	Spray booth, PM filter, HVLP spray guns
		HVLP spray guns, only
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		☐ Management practices

(5) The following table lists each welding operation subject to subpart XXXXXX, noted previously in item (1):

Welding Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Methods Employed (Check all that apply)
		Management practicesFume capture device;describe
		☐ Management practices☐ Fume capture device;describe
		Management practicesFume capture device;describe
		Management practicesFume capture device;describe
		☐ Management practices☐ Fume capture device;describe

Welding Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Methods Employed (Check all that apply)
		Management practicesFume capture device;describe
		Management practices Fume capture device; describe
		Management practicesFume capture device;describe
		☐ Management practices ☐ Fume capture device; describe
		☐ Management practices ☐ Fume capture device; describe
(6) The following applicable management practices are used at this facility, as practicable (check all that apply):		

Dry Abrasive Blasting

Minimize dust generation during emptying of abrasive blasting enclosure to reduce MFHAI emissions, as practicable.
Operate all equipment associated with dry abrasive blasting operations according to the

	Minimize excess dust in the surrounding area to reduce MFHAP emissions, as practicable.
	Enclose dusty abrasive storage areas and holding bins, seal chutes and conveyors that transport abrasive materials.
	Minimize excess dust in the surrounding area to reduce MFHAP emissions, as practicable
	Do not re-use dry abrasive blasting media unless contaminants (i.e., any material other than the base metal, such as paint residue) have been removed by filtration or screening, and the abrasive material conforms to its original size.
	When practicable, switch from high particulate matter (PM)-emitting blast media (e.g., sand) to low PM-emitting blast media (e.g., crushed glass, specular hematite, steel shot, aluminum oxide).
Dry I	Machining, Dry Grinding, Dry Polishing
	Minimize excess dust in the surrounding area to reduce MFHAP emissions, as practicable
	Operate equipment according to manufacturer's instructions.
<u>Spra</u>	y Painting
	Proper cleaning and storage of spray guns, if applicable.
	Training for employees using HVLP spray equipment, with certification as having completed classroom or hands-on training in the proper selection, mixing, and application of coatings, with refresher training repeated at least once every 5 years.
Welc	<u>ling</u>
	Operate equipment according to manufacturer's instructions.
	Use welding processes with reduced fume generation capabilities, if practicable. (e.g., gas metal arc welding (GMAW)—also called metal inert gas welding (MIG))
	Use welding process variations (e.g., pulsed current GMAW), which can reduce fume generation rates, if practicable.
	Use welding filler metals, shielding gases, carrier gases, or other process materials which are capable of reduced welding fume generation, if practicable.
	Optimize welding process variables (e.g., electrode diameter, voltage, amperage, welding angle, shield gas flow rate, travel speed) to reduce the amount of welding fume generated, if practicable.
	Use a welding fume capture and control system, operated according to the manufacturer's specifications, if practicable.

Cert	ification of Compliance Statu	IS
	and other requirements of 40 CFR Pa	operating in compliance with all of the relevant standards art 63 subpart XXXXXX, National Emission Standards burce Standards for Nine Metal Fabrication and Finishing
	And/or other requirements of 40 CFR	OT operating in compliance with the relevant standards Part 63 subpart XXXXXX, National Emission Standards ource Standards for Nine Metal Fabrication and Finishing
	Reason for noncompliance:	
Α	An owner of the facility;The plant engineer or supervisor of	or treasurer of the company that owns the facility; of the facility; y is owned by the Federal, State, City, or County
Pii	int or type the name and title of the Res	ponsible Official for the facility:
Na	ame:	Title:
Te	elephone no.:	Email (if available):
	RTIFY THAT INFORMATION CONTAIN HE BEST OF MY KNOWLEDGE.	IED IN THIS REPORT TO BE ACCURATE AND TRUE

Page 11 of 11

(Signature of Responsible Official)

Revised Aug 27, 2013 08-021

(Date)