# TABLE OF CONTENTS RULES AND REGULATIONS RELATING TO MOBILE HOME PARKS IN THE STATE OF NEBRASKA UNIFORM STANDARD CODE FOR MOBILE HOME PARKS

SUBJECT OF TITLE	STATUTORY AUTHORITY	CODE SECTION
Administrative Forms	71-4623 71-4624, 71-4628	002
Definitions and Scope	71-4621 71-4629	001
Fees	71-4624	004
Observance of Regulations	71-4632	007
Rules of Practice in Administrative Hearings	71-4626, 71-4631	800
Sanitary Conditions	71-4629	006
Submission of Plans	71-4625	003
Utility Systems	71-4629	005

#### Title 178 - NEBRASKA DEPARTMENT OF HEALTH

#### Chapter 5RULES, REGULATIONS AND STANDARDS GOVERNING MOBILE HOME PARKS

#### 001 Definitions and Scope.

- <u>001.01</u> Definitions. In these rules, regulations and standards, unless the context to be intelligible or prevent absurdity otherwise requires, the following definitions shall apply:
  - <u>001.01A</u> Mobile Home shall mean a movable or portable dwelling constructed to be towed on its own chassis, connected to utilities, and designed with or without a permanent foundation for year round living. It may consist of one or more units that can be telescoped when towed and expanded later for additional capacity, or of two or more units, separately lovable but designed to be joined into one integral unit.
  - <u>001.01B</u> Mobile Home Lot shall mean a designated portion of a mobile home park designed for the accommodation of one mobile home and its accessory buildings or structures for the exclusive use of the occupants.
  - <u>001.01C</u> Mobile Home Park shall mean a parcel or contiguous parcels of land which have been so designated and improved that it contains two or more mobile home lots available to the general public for the placement thereon of mobile homes for occupancy. The term mobile home park shall not be construed to include mobile homes, buildings, tents or other structures temporarily maintained by any individual, corporation, company, or other entity on its own premises and used exclusively to house its own labor force.
  - 001.01D Department shall mean the Department of Health of the State of Nebraska.
  - <u>001.01E</u> Person shall mean any individual, firm, partnership, corporation, company, association, joint stock company or association, political subdivision, governmental agency or other legal entity, and shall include any trustee, receiver, assignee or other legal representative thereof.
  - <u>001.01F</u> Mobile Home Stand shall mean that area of a mobile home lot which has been reserved for the placement of a mobile home.
  - <u>001.01G</u> Public Sever System shall mean a sever system owned, operated or otherwise utilized by the state, a municipality or any other governmental agency or political subdivision, federal governmental agencies being excepted.

<u>001.01H</u> Public Water Supply System shall mean a water supply system designed to provide the public piped water fit for human consumption, if 'such system has at least fifteen service connections or regularly serves at least twenty-five individuals daily, at least sixty days out of the year. This definition shall include (a) any collection, treatment, storage, or distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system.

<u>001.02</u> Scope and Application. These rules, regulations and standards shall apply to the utility systems and sanitary conditions for mobile home parks. Mobile home parks in existence and operation on July 10, 1976 shall have until December 31, 1980 within which to comply with the Departmental standards concerning utility systems and sanitary conditions as a condition of licensure, except that in no case shall any such existing and operating mobile home park be required to comply with any electrical system standards. These rules and regulations shall also pertain to administrative forms to be submitted, licensure fees, and other administrative procedures.

<u>002</u> Administrative Forms - Copies. Copies of all administrative forms required by the Department of Health concerning the licensure of a mobile home park shall be furnished by the Department to all applicants and licensees. A copy of each of these forms is attached to and forms a part of this body of rules, regulations and standards. A listing of these forms is:

002.01 Application for Annual License to operate a Mobile Home Park (Attachment 1)

<u>002.02</u> Application for Permit to Construct, Expand, Remodel or Make Alterations to the Sanitary Facilities in a Mobile Home Park (Attachment 2)

<u>003</u> Submission of Plans. Each application for an initial license to establish a newly constructed mobile home park and each application for a permit to construct, expand, remodel or make alterations to the sanitary facilities in a mobile home park must be accompanied by plans and specifications of the mobile home park and the appurtenances thereto, and in the latter instance shall also include a description of the nature, type, location and extent of the proposed construction, expansion, remodeling and alterations to the sanitary facilities. All plans and specifications shall be submitted in triplicate and must be prepared by an engineer or architect if the mobile home park has or is to have facilities for fifteen (15) or more mobile homes.

The detailed construction plans shall show: the area and dimensions of the park site; the number, location, and dimensions of all mobile home lots; the location and width of roadways, automobile parking facilities, and walkways; the location of service buildings and any other proposed structures; plans and specifications for the water supply, sewage-disposal, and solid waste disposal facilities, including the location of water lines, sewer lines, and riser pipes; and the location and details of lighting and electrical systems.

Depending on the extent of the facilities to be provided; additional plans may be required to show: the location of fire hydrants; plans and specifications for swimming pools; and details of fuel-oil and LP-gas storage facilities.

#### 004 Fees.

<u>004.01</u> The following fees relative to the licensure, inspection and plan review for mobile home parks shall be paid in order for such licensure, inspection and plan review to be valid:

<u>004.01A</u> All licenses shall expire at midnight December 31 of each calendar year. The following fees must be paid on or before January 1 of each year for the applicable category in order for a person to receive an annual license to conduct, operate or maintain a mobile home park and receive the required annual inspection of such park:

CATEGORY	<u>FEE</u>
Mobile home park with facilities for 2-3 mobile homes -	\$25
Mobile home park with facilities for 4-15 mobile homes -	\$50
Mobile home park with facilities for 16-25 mobile homes -	\$75
Mobile home park with facilities for 26-50 mobile homes -	\$100
Mobile home park with facilities for 51-100 mobile homes -	\$125
Mobile home park with facilities fur over 100 mobile homes -	\$175

<u>004.01B</u> For each additional necessitated inspection of a mobile home park, which is conducted after the initial annual inspection, the following fees must be paid: (Additional inspections shall be classified as those which are required to determine if violations which were discovered in previous inspections have been corrected.)

CATEGORY	<u>FEE</u>
Mobile Home Park with facilities for 2-3 mobile homes -	\$20
Mobile Home Park with facilities for 4-15 mobile homes -	\$40
Mobile Home Park with facilities for 16-25 mobile homes -	\$70
Mobile Home Park with facilities for 26-50 mobile homes -	\$95
Mobile Home Park with facilities for 51-100 mobile homes -	\$120
Mobile Home Park with facilities for over 100 mobile homes -	\$170

<u>004.02</u> An initial fee for the review of plans and specifications for the types of projects described in subsection 003 shall be submitted with the plans and specifications to be reviewed and in the amount of one hundred dollars plus five tenths of one percent of the engineer's estimate of the cost of the project, alteration, or improvement described in the documents to be reviewed but such total fee shall not exceed \$7,600.00 and:

<u>004.02A</u> Documentation of the contract or actual cost of the project shall be provided to the Department by the engineer or owner of the mobile home park for the purpose of determining the final fee amount;

<u>004.02B</u> Payment of the final fee amount based on one hundred dollars plus five tenths of one percent of the engineer's estimate or the contract or actual cost of the project, whichever is larger, shall be made before the project is placed in service.

#### 004.03 Time of Payment

<u>004.03A</u> Fees for the licensure and initial annual inspection shall be paid at the time the application for licensure is submitted.

<u>004.03B</u> Inspection fees for subsequent necessitated inspections shall be paid within 30 days of the inspection.

<u>004.04 Mode of payment</u> Payments made in the form of currency will be accepted, without responsibility being placed on the Division of Drinking Water and Environmental Sanitation, Department of Health, until properly receipted. Payment should be made, however, in the form of a personal, certified, or cashier's check or money order made payable to the "Division of Drinking Water and Environmental Sanitation, Department of Health." Payments made in the form of stamps, foreign currency, or third party endorsed checks will not be accepted.

<u>004.05</u> Refunds No refund shall be made of any fee paid for which the applicable service has been performed except in cases of mistake or fraud.

<u>004.06 Penalties</u> Failure to pay the specified fees for the licensure and/or inspection and/or plan review of mobile home parks shall constitute cause for the denial, suspension, revocation or refusal of renewal of the license to operate the park.

#### 005 Utility Systems.

## 005.01 Water Supply:

<u>005.01A</u> General Requirements: An accessible, adequate, safe and potable supply of water shall be provided to each mobile home lot. The collection, treatment, storage, and distribution systems of all mobile home parks with fifteen or more service connections or which regularly serve twenty-five or more individuals, shall be constructed, maintained and operated in accordance with all provisions of the Nebraska Safe Drinking Water Act, Nebraska Revised Statutes Chapter 71, Article 53 and of the Regulations Governing Public Water Supply Systems, Title 179, Nebraska Administrative Code, Chapter 2. The collection, treatment, storage, and distribution systems of all mobile home parks with less than fifteen service connections and which serve less than twenty-five (25) individuals shall be constructed, maintained, and operated in accordance with the provisions of the Rules and Regulations Governing a Private Water Well, Title 178, Nebraska Administrative Code, Chapter 9.

Where an approved public water supply of satisfactory quantity, quality, and pressure is available, connection shall be made thereto and its supply used exclusively. Where an approved public water supply system is not available within a reasonable distance for extension to a mobile home development.-a private water supply system shall be developed and constructed in accordance with the provisions of the Rules and Regulations Governing a Private Water Well, Title 178, Nebraska Administrative Code, Chapter 9.

<u>005.01B</u> The water supply shall be capable of supplying a minimum of 150 gallons per day per mobile home site. The water supply system shall be capable of delivering a minimum sustained flow of 5 gallons per minute per mobile home site.

<u>005.01C</u> The water supply system shall deliver water to each mobile home lot at normal operating pressures of 20 to 80 lbs. per square inch.

<u>005.01D</u> Every mobile home stand shall be provided with an individual branch water service pipe and riser pipe. The riser pipe shall be at least three-quarters of an inch in diameter and extend at least four inches vertically above ground elevation unless it is shielded by a riser above ground elevation or unless it is shielded by a riser protector encasement extending above grade and fitted with a lid.

<u>005.01E</u> The water supply riser pipe shall be located within 4 feet (1.22 m) of the mobile home stand, and a minimum of 10 feet (3.50 m) from the sewer drain inlet.

<u>005.01F</u> Water service lines, valves, and riser pipes shall be installed and protected from damage by freezing, ground movement, vehicles or other damage sources. Surface drainage shall be diverted from the riser pipe.

<u>005.01G</u> A shutoff valve shall be provided on the water-riser pipe serving each mobile home site. The shutoff valve shall be protected and shall be listed for backflow protection (listed by I.A.M.P.O. - International Association of Plumbing and Mechanical Officials, N.S.F. - National Sanitation Foundation, or other comparable organization with similar Standards). Heat tapes, when used for protection of plumbing components against freezing, shall be of the listed type (listed by U.L. - Underwriter Laboratories, C.S.A. - Canadian Standards Association, or other comparable organization with similar Standards).

<u>005.01H</u> Mobile homes shall be connected to the water riser pipe with flexible metal tubing not less than the size of the mobile home water supply inlet (3/4 in., 19 mm.).

#### 005.02 Sanitary Sewer System

<u>005.02A</u> General Requirements: Facilities shall be provided and properly maintained for the collection and disposal, or treatment and disposal, of sewage from all mobile homes, service buildings, and other facilities. Where a public sever system is available all plumbing fixtures, building severs, and mobile home park sewers shall be connected thereto. If a public sever system is not available, a private sewage disposal facility meeting Nebraska Department of Environmental Quality and applicable local sewage disposal requirements shall be installed and all plumbing fixtures, building severs, and mobile home park severs connected thereto. Sewage shall not be deposited upon the surface of the ground.

<u>005.02B</u> Detailed plans and specifications shall be submitted to the Nebraska Department of Health for review and approval, as outlined in Section 003, prior to the construction of a newly built sewage disposal facility or the alteration to an existing system.

<u>005.02C</u> Sewage collection lines shall be laid in trenches of sufficient depth to be free of breakage from traffic or ground movement and shall be separated from any pressurized drinking-water supply line by a horizontal distance of 10 feet.

<u>005.02D</u> The sewer lines shall be constructed in compliance with the applicable municipal or county plumbing code. In the absence of a local plumbing code, all sever lines shall be constructed in compliance with the National Plumbing Code of 1955.

<u>005.02E</u> Sewers shall be at a grade sufficient to ensure a mean velocity of 2 feet per second when flowing full. The system shall be designed for a minimum flow rate of at least 200 gallons per day per mobile home lot.

<u>005.02F</u> Each mobile home lot shall be provided with a sewer branch line and riser pipe at least 4 in. in diameter. The branch shall be installed with a slope of at least 1/4 in. per linear foot and shall be trapped when all fixtures in the mobile home are not trapped and vented. The branch line shall terminate at a riser pipe of at least four (4) inches in diameter, which extends vertically four (4) inches above ground elevation.

<u>005.02G</u> The sewer service connection shall be equipped with standard screw, ring, or clamp-type fittings or adapters so that water-tight, and air-tight, connections can be obtained at the mobile home drain outlet and sever riser pipe. The connection shall be of approved semi-rigid, noncollapsible, corrosion-resistant pipe having a smooth interior surface and an inside diameter of not less than 3 inches. Each mobile home shall be connected to the site sever inlet by means of a drain connector consisting of pipe Schedule 40, meeting the standards of the UPC (1991), (Table A-Plumbing Material Standards, which is attached hereto marked attachment 8 and made a part hereof by reference), appropriate fittings and connectors, and shall be not less in size than the mobile home drain outlet. The fitting connected to the inlet shall be a directional fitting to discharge into the sever inlet. A listed flexible connector may be used at each end of the pipe (listed by I.A.M.P.O. or N.S.F. or other comparable organization with similar Standards). Mobile homes with drain outlets less than three (3) inches inside diameter shall be connected with reducers and screw or camp type fittings.

<u>005.02H</u> The sewer drainage inlet shall be positioned within four (4) feet of the mobile home stand and a minimum of ten (10) feet from the water riser.

<u>005.021</u> When a mobile home does not occupy the mobile home stand, the sever riser pipe shall be capped with an airtight cap or plug.

<u>005.03</u> Electrical System. All electrical installations in mobile home parks including mobile home accessory buildings or structures and electrical wiring fixtures and equipment installed in a building other than a mobile home in a mobile home community, shall be designed and constructed in accordance with the NEBRASKA ELECTRICAL CODE, adopted by the Nebraska State Electrical Board under section 81-2104, Reissue Revised Statutes of Nebraska, 1943.

However, in no case shall a mobile home park in existence and operation on July 10, 1976, be required to comply with any electrical system standards as a condition of licensure. This part applies to electrical distribution systems in mobile home parks. It does not apply to the electrical systems of mobile homes.

005.04 Fuel Supply. Each mobile home park shall comply with the following specifications.

#### 005.04A Mobile Home Park Gas Systems

<u>005.04A1</u> General. Gas equipment and installations within a mobile home park shall be designed and constructed in accordance with these regulations and with chapter 5 of ANSI A225.1 NFPA501A, "Manufactured Home Installation" 1982 which is marked attachment 4, attached hereto and incorporated herein by reference and the Standard for Storage and Handling of Liquified Petroleum Gases, (NFPA No. 58-1989) which is marked attachment 5, attached hereto and incorporated herein by reference.

<u>005.04A2</u> Required Gas Supply. The minimum hourly volume of gas required at each mobile home lot outlet or any section of the mobile home park gas piping system shall be calculated as shown below.

# DEMAND FACTORS FOR USE IN CALCULATING GAS PIPING SYSTEMS IN MOBILE HOME PARKS

No. of Mobile	BTU Per Hour Per	
Home Sites	Mobile Home Site	
1	125,000	
2	117,000	
3	104,000	
4	96,000	
5	92,060	
6	87,000	
7	83,000	
8	81,000	
9	79,000	
10	77,000	
11-20	66,000	
21-30	62,000	
31-40	58,000	
41-60	55,000	
Over 60	50,000	

<u>005.04A3</u> Installation. Underground piping shall be buried a sufficient depth (18" minimum) or covered in a manner so as to protect the piping from physical damage when it passes through flower beds, shrub beds, and other such cultivated areas.

Gas piping shall not be installed underground beneath a mobile home stand unless it is installed in an open-ended gas-tight conduit designed to withstand the superimposed loads. The conduit shall extend into a normally usable and accessible portion of the building and, at the point where the conduit terminates in the building, the space between the conduit and the gas piping shall be sealed to prevent the possible entrance of any gas leakage. If the end sealing is of a type that will retain the full pressure of the pipe, the conduit shall be designed for the same pressure as the pipe. The conduit shall extend at least 4 inches outside the building, be vented above grade to the outside, and be installed so as to prevent the entrance of water and insects. Gas piping installed underground within mobile home parks shall comply with ''3.1 to 3.1.7, 3.6 to 3.6.4, and 3.7 to 3.16 of Part 3 and all of Part 4 of THE NATIONAL FUEL GAS CODE (NFPA No. 54- 1988, ANSI z223.1-1988). Parts 3 and 4 of THE NATIONAL FUEL GAS CODE (NFPA NO. 54- 1988, ANSI z223.1-1988) is marked attachment 6, attached hereto and incorporated by reference.

The gas supply to the mobile home shall be located within 4 feet (1.22 m) of the mobile home stand.

Exception: The above requirements do not apply to gas supply connections for mobile homes located on an all-weather wood or concrete or concrete block foundation system, or on a foundation constructed in accordance with the local building code or, in the absence of a local code, with a recognized model building code.

All underground fuel gas piping systems shall comply with the requirements of chapter 5 of ANSI A225.1 NFPA 501A, Manufactured Home Installations, 1982.

<u>005.04A4</u> System Shutoff Valve. A readily accessible and identified shutoff valve controlling the flow of gas to the entire gas piping system shall be installed near to the point of connection to the natural gas service piping or supply connection of the liquefied petroleum gas container.

<u>005.04A5</u> Lot Shutoff Valve. Each mobile home lot shall have an accessible, listed gas shutoff valve installed. Such valve shall not be located under a mobile home. Whenever the mobile home lot outlet is not in use, the shutoff valve shall be plugged or capped to prevent accidental discharge.

<u>005.04A6</u> Gas Connector. Each gas supply connector shall be: (1) Listed for outside mobile home use by American Gas Association. Canadian Gas Association, or other comparable organization with similar standards; (2) Installed with sufficient flexibility to prevent bending or breakage by load shift. Flexibility shall be provided by the use of bends, loops, or offsets, (acceptable methods are illustrated in attachment 3); (3) Not more than 6 feet (1.83m) in length; and (4) Have a capacity rating adequate to supply the connected load. Exception: All gas supply connections for mobile homes located on an all-weather wood or concrete or concrete block foundation system or on a foundation constructed in accordance with the local building code or, in the absence of a local code, with a recognized model building code.

<u>005.04A7</u> Protection From Physical Damage. All gas outlet risers, regulators, meters, valves or other exposed equipment shall be protected from physical damage by vehicles or other causes.

<u>005.04A8</u> Maximum Pressure Permitted. Gas supplied into the mobile home shall not exceed 1/2 pound per square inch gauge or 14 inches water-column.

## 005.04B Mobile Home Park Oil Supply Systems

<u>005.04B1</u> General. Oil-burning equipment and installations within a mobile home park shall be designed and constructed in accordance with all the provisions, except S 3-8, of chapter 2 and chapter 3 of the STANDARD FOR THE INSTALLATION OF OIL BURNING EQUIPMENT (N.F.P.A. No. 31 1987). The STANDARD FOR THE INSTALLATION OF OIL BURNING EQUIPMENT (N.F.P.A. No. 31 1987), is marked attachment 7 and attached hereto and incorporated herein by reference.

<u>005.04B2</u> Oil Supply. The following three methods of supplying oil to an individual mobile home site are permitted:

Supply from an outside underground tank (see 005.04B3).

Supply from a centralized oil distribution system designed and installed in accordance with accepted engineering practice and in compliance with Section 3-8 of the STANDARD FOR THE INSTALLATION OF OIL BURNING EQUIPMENT (N.F.P.A. No. 31 1987;) adopted by reference in section 005.04B1 above.

Supply from an outside above ground tank (see 005.04B3).

<u>005.04B3</u> Recommended Minimum Oil Supply Tank Size. Oil supply tanks shall have a minimum capacity equal to 20 percent of the average annual oil consumption. Except for areas with mild winters (less than 1,800 degree days), 60 gallon ICC-5 shipping containers (drums) are not recommended.

#### 006 Sanitary Conditions.

#### 006.01 Refuse, Garbage and Solid Waste Disposal

<u>006.01A</u> The storage, collection, transportation, and disposal of refuse, garbage and solid waste shall be so conducted as to not create insanitary conditions, nuisances, rodent harborages, insect breeding areas, accident or fire hazards, or air pollution.

<u>006.01B</u> All refuse, garbage and solid waste shall be stored in fly-tight, water-tight, rodent-proof containers which shall be maintained in clean condition and in good repair.

<u>006.01C</u> Containers shall be provided in sufficient number and capacity to properly store all refuse, garbage and solid waste whether the licensee of the mobile home park or each occupant of a mobile home provides the container or containers depends entirely upon the internal rules of each mobile home park.

<u>006.01D</u> Concrete platforms, metal racks, or holders shall be provided for all refuse, garbage and solid waste containers and such platforms, racks, or holders shall be so designed and constructed as to prevent the containers from being tipped, to minimize spillage, and to facilitate cleaning around the containers.

<u>006.01E</u> Refuse, garbage and solid waste shall be removed from the mobile home park premises at least once weekly. Where adequate refuse, garbage and solid waste removal service is not available, the licensee of the mobile home park shall provide such service and the removal and disposal shall conform to local ordinance, if any is applicable.

<u>006.01F</u> All refuse, garbage and solid waste shall be collected and transported in a leak-proof covered vehicle or covered containers.

<u>006.01G</u> Where adequate municipal or private solid waste disposal service is not available, the mobile home park licensee shall provide for disposal of the refuse, garbage and solid waste.

#### 006.02 Insect and Rodent Control

<u>006.02A</u> Grounds, buildings, and structures shall be maintained free of insect breeding areas, rodent harborage, and infestation of insects, rodents or vermin that transmit disease to humans.

<u>006.02B</u> All exterior openings of management buildings or other applicable structures shall be effectively screened or insects, rodents and vermin excluded by other effective means.

<u>006.02C</u> The growth of grass, brush, and weeds shall be controlled to prevent the harborage of noxious insects.

<u>006.02D</u> Mobile home parks shall be so maintained as to prevent the growth of ragweed, poison ivy, poison oak, and other noxious plants detrimental to human health and wellbeing.

<u>007</u> Observance of Regulations. The person to whom a license is issued to operate a mobile home park shall operate said park in strict compliance with the provisions of these rules, regulations and standards and shall provide adequate supervision to maintain the park, its related facilities, roadways, walkways, open spaces, utilities and equipment in good repair and in a clean and sanitary condition.

The licensee shall not construct, expand, remodel or make alterations to the sanitary facilities, including water supply and sewage disposal facilities in a mobile home park or the appurtenances thereto without first obtaining a permit therefore from the Department. No fee shall be charged for such permit, and no such permit shall be required in the making of minor repairs or in matters of general maintenance.

The licensee applying for such a permit must submit a completed application form for a permit to construct, expand, remodel or make alterations to the sanitary facilities in a mobile home park (Attachment 2), accompanied by plans and specifications of the mobile home park and the appurtenances thereto which shall include a description of the nature, type, location and extent of the proposed construction, expansion, remodeling and alterations to the sanitary facilities. All plans and specifications shall be submitted in triplicate and must be prepared by an engineer or architect if the mobile home park has or is to have facilities for fifteen (15) or more mobile homes.

#### 008 Rules of Practice in Administrative Hearings.

<u>008.01</u> Application. An application for issuance of renewal of an annual license to establish, conduct, operate or maintain a mobile home park or an application for a permit to construct, expand, remodel or make alterations to the sanitary facilities in a mobile home park shall be made on forms provided by the Department (Attachments 1 and 2). The application form must be accompanied by any necessary supporting data as prescribed in section 003. Every application shall be acted upon within one hundred and fifty (150) days after its filing with the Department.

<u>008.02</u> <u>Denials and Revocations of Licenses and Permits</u>. Whenever the Department determines to deny, refuse renewal of, suspend or revoke a license, or deny a permit, or deny or revoke a certificate of exemption, it shall send to the applicant or licensee, by either certified or registered mail, a notice setting forth the specific reasons for the determination. Such notice shall state that the denial, refusal of renewal, suspension, or revocation shall become final thirty (30) days after the mailing of the notice in all cases of failure to pay the required licensure fee if not paid by the end of such period, and in all other instances unless the applicant or licensee, within such thirty-day period, shall give written notice of a desire for a hearing. Thereupon the applicant or licensee shall be given opportunity for a formal hearing before the Department and shall have the right to present evidence on his own behalf. The Department, within thirty (30) days of the receipt of the request, shall schedule a formal hearing to be held before the Department.

<u>008.03</u> Rules of Practice and Procedures. All hearings shall be conducted in accordance with the Administrative Procedures Act and the "Rules of Practice and Procedure of the Department of Health." 184 NAC 1

Source: Sections 71-4621, 71-4623

to 71-4626, 71-4628, 71-4629, 71-4631, and 71-4632

### (ATTACHMENT 2)

# APPLICATION FOR PERMIT TO CONSTRUCT, EXPAND, REMODEL OR MAKE ALTERATIONS TO SANITARY FACILITIES IN A MOBILE HOME PARK

<u>Instructions</u>: Fill in the applicable information, please type. Plans and specifications outlining the proposed construction, expansion, remodeling, or alteration, must be submitted in triplicate with this application. If the proposed construction is for a Mobile Home Park with facilities for fifteen (15) or more mobile homes the plans and specifications must be prepared by an engineer or architect. No permit required in the making of minor repairs or in matters of general maintenance.

Applicant's Name:				_
If Corporation, List Officers				
Applicant's Mailing Address				
Applicant's Mailing Address	Street	City	State	Zip
Business Telephone:				_
Does hereby make applicat	ion to construc	t sanitary facilitie	es at the following mobile	e home park:
Name of Park:Address of Park:				
Address of Park:Street		City	County	
OR, does hereby make app in the following mobile home	e park:			anitary facilities
Name of Park:				
Address of Park:Street		City	County	
Otroot		Oity	County	
Mobile Home Park License	Number:			
Indicate the systems to be i	ncluded in this	alteration:		
Sewer Water Electrical Fuel Supply				
Briefly describe the nature, alterations contemplated.	type, location a	and extent of the	construction, expansion	, remodeling or
•	<u>U</u> \$	SE ADDITIONAL	SHEETS OF PAPER IF	NECESSARY
Department Use Only:				
I.D. Number Plans Rec'd		ermit Issued		
Plans Approved: Site:	In:	spection		
Water Sewage	Ву	<i>'</i>		
Electrical Fuel Supply				